

# **Cambridge IGCSE**<sup>™</sup>

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

PHYSICS 0625/62

Paper 6 Alternative to Practical

February/March 2024

1 hour

You must answer on the question paper.

No additional materials are needed.

#### **INSTRUCTIONS**

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

### **INFORMATION**

- The total mark for this paper is 40.
- The number of marks for each question or part question is shown in brackets [ ].

This document has 16 pages. Any blank pages are indicated.

**1** A student determines the mass of a metre ruler by a balancing method.

He is using the apparatus shown in Fig. 1.1.




Fig. 1.1

(a) The student places a circular load on the metre ruler shown in Fig. 1.2.




Fig. 1.2 (not to scale)

Determine the distance d of the centre of the load from the zero end of the ruler, as shown in Fig. 1.2. Fig. 1.2 is **not** to scale.

d = ...... cm [1]

(b) (i)	The student adjusts the position of the metre ruler on the pivot until the metre ruler is a near as possible to being balanced.
	Describe a technique for ensuring that the ruler is as near as possible to being balanced
	[1
(ii)	The student finds that the ruler is as near as possible to being balanced when the pivot is at the 47.6 cm mark.  Calculate the distance <i>a</i> of the centre of the load from the 50.0 cm mark, as shown in Fig. 1.1.
	Use your value of $d$ from (a) and the equation $a = (50.0 \text{ cm} - d)$ .
	a =cn
	Calculate the distance $b$ of the centre of the load from the pivot, as shown in Fig. 1.1. Use your value of $d$ from <b>(a)</b> and the equation $b$ = (position of pivot – $d$ ).
	b =cn

(c) The student moves the load so that its centre is above the 5.0 cm mark and balances the metre ruler.

He repeats this procedure for the load at the 10.0 cm mark, 15.0 cm mark, 20.0 cm mark and 25.0 cm mark.


His results are shown in Table 1.1.

Table 1.1

position of load/cm	a/cm	b/cm
5.0	45.0	40.5
10.0	40.0	35.2
15.0	35.0	31.5
20.0	30.0	26.0
25.0	25.0	22.5

(i) Plot a graph of a/cm, (y-axis) against b/cm, (x-axis). Use the values in Table 1.1. You do **not** need to start your axes at the origin (0,0).

Draw the best-fit straight line.



[4]

(ii) Determine the gradient *G* of the graph. Show clearly **on the graph** how you obtained the necessary information.

 $G = \dots [1]$ 

(d)	Calculate the mass M of the metre ruler using the equation $M = \frac{k}{(G-1)}$ ,
	where $k = 25 \mathrm{g}$ .
	Give an appropriate unit.
	$M = \dots $ [1]
(e)	The accuracy of the result obtained by this procedure depends on the metre ruler, without a load, balancing with the pivot at the 50.0 cm mark.  A student finds that this does not happen. She adds a small piece of modelling clay to one end of the metre ruler to correct it.  Suggest if this is a suitable change for this experiment. Explain your answer.
	[1]
	[Total: 11]

2 A student investigates a circuit containing different combinations of three resistors.

She first uses Circuit A, shown in Fig. 2.1.

### Circuit A





Fig. 2.1

- (a) On Fig. 2.1, draw a voltmeter connected to measure the potential difference (p.d.) V for terminals P and Q. [1]
- (b) The student measures the potential difference V for terminals P and Q and measures the current I in the circuit. The meters are shown in Fig. 2.2 and Fig. 2.3.






Fig. 2.2

Fig. 2.3

Read and record, in the first line of Table 2.1, the values of V and I shown on the meters in Fig. 2.2 and Fig. 2.3. [2]

Table 2.1

	V/	I/	R/
Circuit A			
Circuit B	2.9	0.22	
Circuit C	2.6	0.86	

(c)

#### Circuit B

The student connects the resistors between terminals P and Q as shown in Fig. 2.4. She measures and records, in Table 2.1, the values of *V* and *I* for this circuit.





Fig. 2.4

#### Circuit C

The student connects the resistors between terminals P and Q as shown in Fig. 2.5. She measures and records, in Table 2.1, the values of *V* and *I* for this circuit.



(i) Calculate and record in Table 2.1 a resistance R for each circuit. Use the values of V and I from Table 2.1 and the equation  $R = \frac{V}{I}$ .

[2]

(ii) Add units to the column headings in Table 2.1. [1]

(a)	(1)	Calculate a resistance $R_A$ . Use the value of $R$ from Circuit $A$ and the equation $R_A = \frac{R}{3}$
		R <sub>A</sub> =
		Calculate a resistance $R_{\rm B}$ . Use the value of $R$ from Circuit B and the equation $R_{\rm B} = \frac{R}{1.5}$
		$$R_{\rm B}$$ =
		R <sub>C</sub> =[1]
	(ii)	A student suggests that $R_{\rm A}$ , $R_{\rm B}$ and $R_{\rm C}$ should all be equal. State whether your results support this suggestion. Justify your statement with reference to values from your results.
		statement
		justification
		[2]
(e)		udent investigates the resistors in Circuit A using a variable resistor to change the current ne circuit.
	(i)	In the space below, draw the symbol for a variable resistor.
	<b>/</b> ***\	
	(ii)	Suggest <b>one</b> advantage of using a variable resistor to change the current in the circuit.
		[1]
		[Total: 11]

3 A student determines the focal length of a converging lens by two methods.




Fig. 3.1

(a) The student sets up the apparatus as shown in Fig. 3.1.

measureme	•	that must b	e taken whe	n setting t	up the appar	atus to ensu	re accurate
							[1]

**(b)** The student sets the distance *u* between the illuminated object and the lens to 20.0 cm.

He places the screen near the lens and moves the screen until a sharp image of the illuminated object is seen on the screen.

(i) Describe a technique for obtaining an image that is as sharp as possible.

 	 	 	 	[1]

(ii) Measure  $v_1$ , the distance from the lens to the screen on Fig. 3.1.

$$v_1 = \dots cm$$

Fig. 3.1 is drawn to 1/10th scale.

Calculate  $V_1$ , the actual distance from the lens to the screen.

$$V_1 = \dots$$
 cm [2]

(c) The shapes of the illuminated object and the image seen on the screen are shown full size in Fig. 3.2 and Fig. 3.3.




Fig. 3.2

Fig. 3.3

(i) Measure  $h_{\rm O}$ , the height of the illuminated object, as shown in Fig. 3.2.

$$h_{\rm O}$$
 = ..... cm

Measure  $h_{\rm I}$ , the height of the image on the screen, as shown in Fig. 3.3.

$$h_{\rm I}$$
 = ...... cm

(ii) Calculate a value M for the magnification, using the equation  $M = \frac{h_{\rm I}}{h_{\rm O}}$ .

$$M = \dots$$
 [1]

(d) Calculate a value  $f_1$  for the focal length of the lens. Use your values from (b)(ii) and (c)(ii) and the equation  $f_1 = \frac{V_1}{(M+1)}$ .

$$f_1 =$$
 [1]

**(e)** Describe **one** difficulty that is experienced when using a ruler to measure the height of the image **in this experiment**. Suggest an improvement to the apparatus to overcome this.

difficulty	
,	
improvement	

[2]

(f)	The student adjusts the position of the lens so that $u = 40.0 \mathrm{cm}$ and obtains a new value $V_2$ for the distance between the lens and the screen.
	V <sub>2</sub> = 25.1 cm
	Calculate a second value $f_2$ for the focal length of the lens, using the equation $f_2 = \frac{uV_2}{(u+V_2)}  .$
	$f_2 = \dots $ [1]
(g)	Suggest which value of focal length, $f_1$ or $f_2$ , might be more accurate. Explain your answer.
	[1]
	[Total: 11]

**4** A student investigates the effect of insulation on the cooling of a liquid.

Plan an experiment which will enable her to investigate how changing the thickness of insulation surrounding a beaker affects the rate of cooling of hot water in the beaker.

The apparatus available includes:

- a glass beaker
- a supply of hot water
- a lid to fit the beaker
- strips of insulation which can be cut to size.

## In your plan:

- list any additional apparatus needed
- explain briefly how to do the experiment, including the measurements to take so that the rate
  of cooling can be determined
- state the key variables to keep constant
- draw a table, or tables, with column headings, to show how to display the readings (you are not required to enter any readings in the table)
- explain how to use the readings to reach a conclusion.

You may draw a diagram if it helps to explain your plan.